


CSA 1 BAR TYPE SPLITTER TROUGH ALUMINUM

The BAR type splitter trough are used indoor for cabling electrical power distribution, permitting main circuit conductors to be split into multiple branch circuit conductors. Terminal blocks are preinstalled for both three and four wire power distribution systems. The boxes are complete with screw cover.

Trough and cover are manufactured from 12 Ga or 10 Ga aluminum.

Options include: additional copper or aluminum lugs, powder coating, hinged cover, and weatherproof .

C.S.A. Certified



Define: **BAR** **A** **B** **C**
 Series Amper- Length Number of wires

Example : **BAR-A-400-36-3**: 400 Amp/ 36 inches / 3

Cat. No.		Main Lugs			Branch Lugs		Splitter Box			
<u>3 Wire</u>	<u>4 Wire</u>	<u>Amp</u>	<u>Qty.</u>	<u>Wires</u>	<u>Qty.</u>	<u>Wires</u>	<u>L</u>	<u>W</u>	<u>D</u>	<u>LBS.†</u>
BAR-A-400-24-3	BAR-A-400-24-4*	400	2	250 MCM	7	14-2/0	24	15	7	21.0
BAR-A-400-36-3	BAR-A-400-36-4*	400	2	250 MCM	7	14-2/0	36	15	7	21.0
BAR-A-400-48-3	BAR-A-400-48-4	400	2	250 MCM	7	14-2/0	48	15	7	28.0
BAR-A-400-60-3	BAR-A-400-60-4	400	2	250 MCM	7	14-2/0	60	15	7	31.0
BAR-A-400-72-3	BAR-A-400-72-4	400	2	250 MCM	7	14-2/0	72	15	7	35.0
BAR-A-600-36-3	BAR-A-600-36-4*	600	2	350 MCM	2	6-300 MCM	36	15	7	25.0
BAR-A-600-48-3	BAR-A-600-48-4*	600	2	350 MCM	and		48	15	7	29.0
BAR-A-600-60-3	BAR-A-600-60-4	600	2	350 MCM			60	15	7	32.0
BAR-A-600-72-3	BAR-A-600-72-4	600	2	350 MCM	6	14-2/0	72	15	7	39.0
* Box size W x D = 18 x 9.5						† For 4 wire system add 4 lbs				